



Product offerings

Aesthetic safety solutions





Contents

Brass tactile indicators	03
Tactile indicators.....	04
Brass stair nosings.....	06
Surface mount stair nosings	07
Rebated timber/tile stair nosings	09
Carpet & vinyl stair nosings	10
Other stair nosings and accessories	12
Anti-slip products	13
Floor trims & covers.....	14
Other accessories.....	15

Many of our products have customisation options.
Please see out full catalogue for more information.

Aluminium profile colour options

Natural (standard), Black, Bronze, Saffron, Gold, Chocolate, Olive



Carborundum insert options

Black, Yellow, Light Grey, Luminescent



Polymer insert options

Black, White, Beige, Yellow, Light Grey, Mid Grey, Dark Grey, Blue, Red, Tangerine, Coral, Lime Green, Raspberry, Teal, Ultra Violet



Aluminium and carborundum mix insert options

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Brass tactile indicators



BH10P

Brass TGSi individual tactile

- Grooved 10 ring top only
- Plain sides
- Rear stud
- Sloped sides for safe transition



DBBRSSLNFN

Brass TGSi individual tactile bar

- Plain sides
- Rear stud
- Sloped sides for safe transition




BH60P

Brass TGSi with carb insert

- Anti-slip
- Plain sides
- Rear stud
- Sloped sides for safe transition

Did you know?

Choosing tactiles for your building makes public spaces more accessible to those with vision impairments.




Tactile indicators



AH10N

Aluminium TGSI individual tactile

- Grooved 10 ring top only
- Rear nylon stud
- Sloped sides for safe transition



SH10N-B

Stainless steel TGSI individual tactile

- Grooved 10 ring top only
- Rear nylon stud
- Sloped sides for safe transition
- T316 grade stainless steel with PVD treatment



AH10P

Aluminium TGSI individual tactile

- Grooved 10 ring top only
- Rear stud
- Sloped sides for safe transition



SH10F

Stainless steel TGSI individual tactile

- Grooved 10 ring top only
- Without rear stud
- Sloped sides for safe transition
- T316 grade stainless steel with PVD treatment



SH10N

Stainless steel TGSI individual tactile

- Grooved 10 ring top only
- Plain sides
- Rear nylon stud
- Sloped sides for safe transition
- T316 grade stainless steel



SH75N

Stainless steel TGSI with poly insert

- Grooved 10 ring poly insert
- Plain sides
- Rear nylon stud
- Sloped sides for safe transition
- T316 grade stainless steel



SH60N

Stainless steel TGSI with grit insert

- Anti-slip
- Plain sides
- Rear nylon stud
- Sloped sides for safe transition
- T316 grade stainless steel



TacStud

Stainless steel individual tactile

- Excellent Anti-Slip Rating
- Easy retro fit install
- 316 Marine Grade Stainless Steel
- Superb abrasion qualities





SH10 Plate

Stainless steel warning tactile plate

- Retro fit application plate
- Increased strength
- Grooved 10 ring top



SH60 Plate

Stainless steel warning tactile plate


- Retro fit application plate
- Increased strength
- Anti-slip grit top



TacBar

Tactile indicator stainless steel directional bars

- Excellent anti-slip rating
- Easy retro fit install
- 316 marine grade stainless steel
- Superb abrasion qualities



TacBar

Carborundum insert stainless steel directional bars

- Excellent anti-slip rating
- Easy retro fit install
- 316 marine grade stainless steel
- Superb abrasion qualities



TacStud

Tactile indicator polyurethane warning tactile studs


- Excellent anti-slip rating
- Easy retro fit install
- UV stable thermos polyurethane
- Superb abrasion qualities



TacBar

Tactile Indicator polyurethane directional bars

- Excellent anti-slip rating
- Easy retro fit install
- UV stable thermos polyurethane
- Superb abrasion qualities



TacStrip

Polyurethane warning bladed shaft indicators

- Excellent anti-slip rating
- Easy retro fit install for small substrates
- UV stable thermos polyurethane
- Superb abrasion qualities



TacMat

Polyurethane directional tactile mats


- Good anti-slip rating
- Easy retro fit install for interior use
- UV stable poly materials
- Superb abrasion qualities



Hazard pavers

Tactile hazard/warning concrete pavers


- Excellent anti-slip rating
- 50MPa concrete pavers
- UV stable
- 40mm and 60mm options



TacMat

Polyurethane warning tactile mats

- Good anti-slip rating
- Easy retro fit install for interior use
- UV stable poly materials
- Superb abrasion qualities



Directional pavers

Tactile Directional/Lead In Concrete Pavers

- Excellent anti-slip rating
- 50MPa concrete pavers
- UV stable
- 40mm and 60mm options



Templates

TGSI templates

- Easy to use
- MDF & plastic templates available
- Interlocking

Brass stair nosings



DKR104-H

Solid brass stair nosing for surface mount


- Premium solid brass
- Grit insert
- Ramped back, short raked front, pre-drilled and countersunk
- Interior and exterior use



DKR142-H

Solid brass stair nosing for surface mount


- Premium solid brass
- Ramped back and folded front
- Interior and exterior use
- Grit insert
- Pre-drilled and countersunk



SBR104-H

Solid brass stair nosing for surface mount

- Premium solid brass
- Ribbed polymer insert
- Ramped back, short raked front, pre-drilled and countersunk
- Interior and exterior use



SBR142-H

Solid brass stair nosing for surface mount

- Ramped back and folded front
- Interior and exterior use
- Ribbed polymer insert
- Pre-drilled and countersunk



INB033-H

Solid brass rebated stair nosing


- Premium solid brass
- Square edged
- Interior and exterior use



SNB041-H

Solid brass stair nosing for surface mount

- Premium solid brass
- Square back and square front
- Interior and exterior use



BAR040-H

Solid brass rebated bar stair nosing


- Premium solid brass
- Epoxy filled into grooves
- Interior and exterior use

Did you know?

The brass range is our most premium offering. The design is perfect for timeless buildings.



Surface mount stair nosings



DKR104

Aluminium stair nosing for surface mount


- Grit insert
- Ramped back
- Short raked front
- Pre-drilled and countersunk



DKR435

Aluminium stair nosing for surface mount


- Interior and exterior use
- Ramped back, short raked front
- Grit insert
- Pre-drilled and countersunk



DKR103

Aluminium stair nosing for surface mount


- Grit insert
- Ramped back
- Folded front
- Pre-drilled and countersunk



LKR128

Aluminium stair nosing for surface mount


- Interior and exterior use
- Ramped back, short raked front
- Luminescent and grit insert
- Pre-drilled and countersunk



DKR135

Aluminium stair nosing for surface mount

- Interior and exterior use
- Ramped back, short raked front
- Luminescent and grit insert
- Pre-drilled and countersunk



LKR127

Aluminium stair nosing for surface mount

- Interior and exterior use
- Ramped back, short raked front
- Luminescent and grit insert
- Pre-drilled and countersunk



DKR404

Aluminium stair nosing for surface mount


- Grit insert
- Ramped back
- Short raked front



LKR428

Aluminium stair nosing for surface mount


- Interior and exterior use
- Ramped back, short raked front
- Luminescent and grit insert
- Pre-drilled and countersunk



DKR403

Aluminium stair nosing for surface mount


- Grit insert
- Ramped back
- Short raked front



LKR427

Aluminium stair nosing for surface mount


- Interior and exterior use
- Ramped back, folded front
- Luminescent and grit insert
- Pre-drilled and countersunk



SBR104

Aluminium stair nosing
for surface mount

- Ribbed polymer insert
- Ramped back
- Short raked front
- Pre-drilled and countersunk



SBR103

Aluminium stair nosing
for surface mount


- Ribbed polymer insert
- Ramped back
- Short raked front
- Pre-drilled and countersunk



SBR135

Aluminium stair nosing
for surface mount


- Ribbed polymer insert
- Ramped back
- Long raked front
- Pre-drilled and countersunk



LBR128

Aluminium stair nosing
for surface mount


- Ramped back, short raked front
- Luminescent and polymer insert
- Pre-drilled and countersunk
- Interior use



LBR127

Aluminium stair nosing
for surface mount

- Ramped back, short raked front
- Luminescent and polymer insert
- Pre-drilled and countersunk
- Interior use



SNR019

Aluminium stair nosing
for surface mount

- Safety ribbed aluminium
- Ramped back
- Short raked front



FMR104

Aluminium stair nosing
for surface mount

- Aluminium insert
- Ramped back
- Short raked front
- Pre-drilled and countersunk

Did you know?

We can arrange installation,
meaning less hassle for project
managers and guaranteed quality
installation.



Rebated timber/tile stair nosings



IKB121

Aluminium stair nosing for rebated applications


- Interior and exterior use
- Square back, square front
- Grit insert
- Pre-drilled and countersunk



IMB121

Aluminium stair nosing for rebated applications

- Interior and exterior use
- Square back, squared front
- Ribbed aluminium insert



IKB140

Aluminium stair nosing for rebated applications


- Interior and exterior use
- Square back, short raked front
- Grit insert



IBB121

Aluminium stair nosing for rebated applications

- Ribbed polymer insert
- Square back
- Square front
- Pre-drilled and countersunk



IKB440

Aluminium stair nosing for rebated applications


- Interior and exterior use
- Square back, short raked front
- Grit insert



INB033

Aluminium stair nosing for rebated applications

- Ribbed metal
- Square back
- Square front
- Interior and exterior use



IKB439

Aluminium stair nosing for rebated applications


- Square back and front
- Grit insert
- Interior and exterior use



IBB140

Aluminium stair nosing for rebated applications


- Ribbed aluminium insert
- Interior and exterior use
- Square back, short raked front



BAR040

Aluminium stair nosing for rebated applications

- Solid aluminium
- Epoxy filled into grooves
- Interior and exterior use




BAR040-SS

Stainless steel stair nosing for rebated applications

- Solid stainless steel
- Epoxy filled into grooves
- Interior and exterior use

Carpet & vinyl stair nosings



FMD106

Aluminium stair nosing for carpet or rubber


- Aluminium insert
- Gripper back
- Short raked front
- Pre-drilled and countersunk



PKD143

Aluminium stair nosing for carpet applications


- Interior use
- Gripper back, short raked front
- Grit insert



FMD129

Aluminium stair nosing for carpet/rubber


- Interior use
- Gripper back, folded front
- Ribbed aluminium insert
- Pre-drilled and countersunk



PKD144

Aluminium stair nosing for carpet applications


- Interior use
- Gripper back, short raked front
- Grit insert



FMV105

Aluminium stair nosing for vinyl or rubber

- Aluminium insert
- Gripper back
- Short raked front
- Pre-drilled and countersunk



PKD406

Aluminium stair nosing for carpet/rubber


- Interior use
- Gripper back, short raked front
- Grit insert
- Pre-drilled and countersunk



PKD106

Aluminium stair nosing for carpet/rubber


- Interior use
- Gripper back, short raked front
- Grit insert
- Pre-drilled and countersunk



PKD429

Aluminium stair nosing for carpet/rubber

- Interior use
- Gripper back, folded front
- Grit insert
- Pre-drilled and countersunk



PKD129

Aluminium stair nosing for carpet/rubber


- Interior use
- Gripper back, short raked front
- Grit insert
- Pre-drilled and countersunk



PKD443

Aluminium stair nosing for carpet applications


- Interior use
- Gripper back and short raked front
- Grit insert



PKD444

Aluminium stair nosing
for carpet applications


- Interior use
- Gripper back and short raked front
- Grit insert



PBD106

Aluminium stair nosing
for carpet/rubber


- Interior use
- Gripper back, short raked front
- Ribbed polymer insert
- Pre-drilled and countersunk



DKV405

Aluminium stair nosing
for vinyl or rubber


- Interior and exterior use
- Gripper back, short raked front
- Grit insert
- Pre-drilled and countersunk



PBD129

Aluminium stair nosing
for carpet/rubber

- Interior use
- Gripper back, folded front
- Ribbed polymer insert
- Pre-drilled and countersunk



PBC102

Aluminium stair nosing
for carpet applications

- Interior use
- Gripper back, folded front
- Ribbed polymer insert
- Pre-drilled and countersunk



PBD143

Aluminium stair nosing
for carpet applications

- Interior use
- Gripper back, short raked front
- Ribbed polymer insert



PND045

Aluminium stair nosing
for carpet applications


- Interior use
- Gripper back, short raked front
- Ribbed top



PBD144

Aluminium stair nosing
for carpet applications


- Interior use
- Gripper back, short raked front
- Ribbed polymer insert



PND046

Aluminium stair nosing
for carpet applications

- Interior use
- Gripper back, short raked front
- Ribbed top



SNB031


Aluminium stair nosing for
vinyl/rubber applications

- Short square front
- Ramped back
- Ribbed aluminium

Have it your way!

Do you prefer a particular insert or colour option? We provide multiple customization options so that you can have your nosings your way. Just ask our friendly team about our options.

Other stair nosings & accessories



A-137R

Surface mounted aluminium stair nosing with self-adhesive insert

- Anodised aluminium
- Suitable for wooden or concrete stairs
- Low profile, with ramped back edge
- Supplied pre-drilled and countersunk



A-138R

Surface mounted aluminium stair nosing with self-adhesive insert

- Anodised aluminium
- Suitable for wooden or concrete stairs
- Low profile, with ramped back edge
- Supplied pre-drilled and countersunk



CA290

Instant grab construction adhesive/sealant

- Instant grab characteristics
- High durability with water resistance
- Ready for immediate use
- Works on almost all surfaces
- High abrasion and tear strength



Stair Guard

Surface mounted PVC reusable stair guard

- Durable PVC
- Suitable for wooden or concrete stairs
- Self adhesive
- Easily removable and reusable




Anti-slip products & nosings



Slip Grip Disc

Stainless steel discs

- Excellent anti-slip rating
- Easy retro fit install
- 316 Marine grade stainless steel
- Superb abrasion qualities



GKB022

Fibreglass anti-slip plate

- Rugged non-slip fibreglass
- Square front
- Suitable for platforms and flat areas



TKR016

Traction bar for ramps and slippery surfaces

- Slip-resistant carborundum
- Ramped edges
- Can also be used for stairs



GKR017

Fibreglass anti-slip stair nosing for surface mount applications

- Rugged non-slip fibreglass
- Ramped back
- Square front



GKR030

Fibreglass anti-slip stair nosing for surface mount applications

- Rugged non-slip fibreglass
- Ramped back
- Square front

Did you know?

We adhere to section D1 of the NZ building code and AS/NZ accessibility and anti slip standards - make sure your project complies with these too!



Floor trims and covers



EC2V

Square edge for vinyl 2 part expansion joint cover


- Suits new or existing applications
- Pre-drilled and countersunk
- Supplied with fixings
- Foot safe for pedestrian traffic
- Allows substrate horizontal movement



CSA Series

Floor trims aluminium floor cover strip


- Transition between floor surfaces
- Concealed fixing
- Supplied complete with fixings



EC2R

Timber/concrete 2 part expansion joint cover

- Suits new or existing applications
- Pre-drilled and countersunk
- Supplied with fixings
- Foot safe for pedestrian traffic
- Allows substrate horizontal movement



FCS Series

Floor trims stainless steel folded cover strip


- Easy installation
- Provides a perfect finished appearance
- Auto adjustment for height and tilt
- Quick and safe installation
- Pre-drilled and countersunk



IRF1180

Ramp frame for surface mounted matting


- Easy installation
- Provides a perfect finished appearance
- Use to create a defined mat well
- Provide compliant and safe pedestrian floor surfaces



ETV3

Floor trims edge trim, 3mm


- Edge trim for vinyl flooring
- Provides a solid and clean finish at horizontal and vertical junctions



TRP33H

Floor trims 2 part trim with aluminium flat top

- Innovative flat clip profile system
- Simple, fast and reliable installation
- Adaptable height and inclination
- High load capacity up to 1.5 tons



ETC6

Floor trims edge trim, 6mm

- Edge trim for carpet and tile
- Provides a solid and clean finish at horizontal and vertical junctions



TRP44R

Floor trims 2 part trim with aluminium ramp top

- Innovative flat clip profile system
- Simple, fast and reliable installation
- Adaptable height and inclination
- High load capacity up to 1.5 tons

Other products



Skatestop edge

Skate deterrents
advanced stainless steel
skate deterrent

- L-Shape profile
- Weather resistant
- Stainless steel



Skate stop

Bullet head stainless
skate deterrent

- 316 marine grade stainless steel
- Easy retro fit install
- Excellent durability
- Zero maintenance



Wheel stops

Rubber wheel stops

- Recycled rubber won't chip or corrode
- Hi-vis chevrons create good visibility
- Flexible and will conform to most road surfaces



Staymark

Adhesive staymark
tactile tape

- Easy retro fit install
- UV stable
- Superb abrasion qualities
- Highly reflective



Ramps

Aluminium adjustable
threshold ramps

- Heavy duty
- Adjustable feet to suit multiple heights
- High quality & durable
- Superb abrasion qualities
- Slip resistant

Did you know?

Our experienced team can provide the best advice on which tactile products are best suited for your project. Contact us today for more information.





3D AR Tool



0800 14 74 33 www.totaltactilez.co.nz